



FIRE SAFETY CONSULTANTS, INC.

FIRE CODE SYSTEM SUBMITTALS

The following is a list of items that need to be included with your submittal to FSCI for review. See IFC (or NFPA 1 where applicable) for a complete submittal list.

Submit the number of plans as required by the specific municipality showing the job name and complete address; and shall include the seal of the licensed design professional in charge.

Plans must be to scale, to determine building area and height; and clearly show work to be done versus existing conditions.

Where work involves building additions, exterior renovations, or exterior/site changes, provide a scaled site plan clearly showing any existing structures, all new construction, distances from lot lines, street grades, proposed finish grades, location of underground watermains, fire hydrant locations, building fire department connection location(s) and any fire department access lanes.

Provide an explanation of the operations which will occur within the building and the use group classification(s) for all areas of the building.

Provide the building construction classification.

Provide complete means of egress details:

- Occupant loads for all rooms and spaces
- Means of egress arrangement, including the size and construction of corridors, stairways, exit passageways, door sizes, egress door hardware
- Exit signage, and emergency lighting

Where the following conditions exist, additional information may be required:

- Assembly & High-Rise occupancies
- Mezzanines & Atriums
- Covered malls
- Other special conditions

Where hazardous storage, processing, and handling occurs additional information may be required based on the applicable chapters of the fire code.

If you have any questions regarding the submittal process for a specific municipality, please feel free to contact our office at info@firesafetyfsci.com and we will be happy to help.